## THE CATALOGUE



# A business on a human scale.



### or 20 years, Mercadier<sup>®</sup> has been developing innovative and colourful decorative materials that are in step with the latest environmental and technical challenges.

Established in Aix-en-Provence in 2003, our company is based on values like innovation, expertise and a willingness to share knowledge.

Our products are technically advanced, but can be used by anybody, and are designed to give long-lasting and high-quality results. Sharing our expertise through personal attention to clients, and giving advice about how to use our products, are at the heart of our business culture.

### Our story begins with layered polished concrete.

As pioneers in this market, we contributed to the popularity of layered polished concrete through new technology and original colours, which quickly saw us receive an Elle Déco Design Award. We were the first company to develop coloured concrete that could be applied by anyone. Our special formulas make for a reliable product and, in the same spirit, we continue to innovate in the field of decorative materials.

In our catalogue, you will find all of our products, such as layered polished concrete, metallic coatings, paints and limes, as well as solutions for all of your decorative projects.

### Innovation Materials and colours are at the heart of our business

We are always in search of innovative formulas and unique colours. Our Research & Development team pays special attention to the quality, technical performance and reliability of our products. Malleable materials with original finishes and colours - that's Mercadier's signature.

Our production technology is the result of extensive research, which has enabled us to develop exclusive formulations. Starting in 2007, we began the process of having our products accredited by two research centres:

• The CEBTP (Experimental Centre for Construction and Civil Engineering Research - Materials Laboratory) for parameters like adhesion, compressive strength, abrasion and punching.

• The CSTB (Technical and Scientific Centre For Construction) for parameters like resistance to wear and Shore hardness and resistance.

Renowned for its resilience and aesthetic, concrete is also an eco-friendly product. It consists mainly of natural materials, such as cement, water, sand, aggregate and it can cover most older surfaces without the need for removal. Through a conscious and strategic environmental approach, we take care in our choice of raw materials, in order to offer you products that substantially outperform the regulations on volatile substance emissions. We strive to limit the use of solvent-based products in our ranges by developing alternatives that meet the same performance and durability criteria.

Our search for the richest colours and pigments is at the heart of our business, supporting our development of innovative and extensive colour charts.








う 

Micro Topping Concretes	8
Concrete Look Seamless Floors	10
Metal Coatings	20
Decorative Paints	26
Lime	32
Primers and preparatory products	38
Finishing and maintenance products	42
Customer service	46
Where to find us	48

# Layered Polished Concrete



# Concrete, a design element in its own right.

In just a few years, concrete has come into its own. It is now an accepted decorative material that has more than proven its potential. Whereas concrete was once relegated to walls and frames, it now shows up everywhere.

The ability to play with shapes and produce colour effects can be used in every room of the house. Floors, stairs, walls, showers, countertops - this chameleon material finds its place anywhere.

The Mercadier® Layered Polished Concrete range is the result of years of close cooperation by engineers, architects, decorators, contractors and private individuals. We continuously monitor its composition, technical performance and application to maintain quality and durability standards.

Whether you're using a Coloured Concrete render or a Self-Leveling Floor, there's a product for every project, whatever your decorative needs. They can enhance every room in your home, whether it's a new build or renovation. All our concrete products are compatible with low-temperature and low-voltage water-or electrical based underfloor heating systems.

### **Coloured Concrete (EBC) and** S

**Biggood Opperations** A hi-tech product with a tactile finish, coloured concrete achieves a result that reflects its user's application style. Concrete can take on any appearance, from a mineral effect to tadelakt, both vertically and horizontally: kitchens and





### AXXX, SC+ et RBX®

Ideal for large interior floors, as their fluid consistency allows for rapid application due to their self-smoothing properties. This product's technical and aesthetic qualities achieve a nuanced aesthetic finish that is also hard-wearing. Their resistance allows an application in public places with strong traffic.

### Coloured Concrete - EBC

A decorative self-coloured finishing mortar that is cement-based, with a very fine grain.



Apply with a float



Water-repellent



Wall, floor and ceiling





### Applied with a finishing trowel, textured or smooth

Several finishes are possible according to the applier's technique: textured or smooth, ferrous mineral look, or tadelakt. This layered polished concrete can be applied indoors and outdoors, and is suitable for all decors and ambiances.



### **Extensive colour chart**

From the most neutral to the brightest, we offer a choice of colours to suit every home environment.

### Hard-wearing and easy to maintain

Well-known for its resilience and reliability, EBC has been tested by the CEBTP since 2007, and is a hardwearing coating that is equally suited to floors.



### Exceptional adhesion and water-resistant properties

With its excellent adhesion on most surfaces, and its waterresistant properties, this product is suitable for most projects: floors and stairs, walls, countertops, floor-level showers, washbasins, sideboards, and furniture.


### New build or renovation

EBC is applied in several fine layers using a smoothing trowel, allowing it to be used on renovation projects without major works or removals. This all-purpose material is suitable to every surface of your home: tiles, cement, plaster, concrete or plywood.



### PURE<sup>®</sup> Minéral Béton - PMB

A self-coloured decorative finishing mortar with a base of cement, lime and mineral fillers.





### New build or renovation

The PMB Finishing Mortar can be used for both vertical and horizontal interior decoration, as well as living room floors with limited foot traffic.

### Colour wash mineral look

Its resistance properties are associated with a nuanced and particularly mineral decorative rendering, close to that of lime.



### Soft and easily workable texture

The soft and smooth texture of this product and its longer setting time make it easy to use on most surfaces.



### Water-resistant

Ideal for use on walls, countertops and washbasins, showers and water features.

### Soft colour palette

A wide range of pastel and natural colours due to the lime used in its composition.



### Self-smoothing floor - AXXX

Self-smoothing, mass-stained mortar based on calcium sulphate (anhydrite), extremely smooth.



Apply with a flemish trowel







### Ultra resistant

Its high mechanical strength and high hardness, tested in the laboratory, guarantee a durable floor.



### Range of classic colors, neutral or denser

Natural tones of white and brown, a palet of grey and more colorful tones (grablue-grey, green, yellow and brick red).

### Ideal public places

High mechanical resistance adapted to heavy traffic without neglecting its decorative properties.



### Very soft smooth appearance

With its ultra-fine grain and particularly soft appearance, it brings an elegant touch of modernity in all types of interiors.

### Low thickness

Even in renovation, the AXXX may apply from 3mm thick (except tiles).



### Self-smoothing floor - SC+

A self-leveling and self-coloured mortar made from a mix of special cements, mineral fillers and additives.







### Excellent resistance to daily use

Perfect for indoor flooring and public areas, its enriched formula gives it decorative properties and a unique finish while offering excellent resistance to wear and tear.

### Suitable for underfloor heating

Compatible with low-voltage and low-temperature water-based or electric underfloor heating systems.



### Range of neutral colours

A palette of earth and grey tones is available, from lightest to darkest.



### Clean and silky look, with a fine grain

Its clean and silky finish with a very fine grain gives this product the appearance of a smooth, selfcoloured screed that has all the refinement of a seamless floor.

### Suitable for all rooms in the house

For an even more uniform aesthetic appearance, the SC+ is compatible in all rooms including wet rooms (bathroom without shower tray).



### Self-leveling floor - RBX®

A self-smoothing and self-coloured mortar consisting of a mix of cements and ultra-resistant mineral fillers.







### Perfect for large surfaces

Fluidity, rapid implementation on floors. Ideally suited to surfaces that see heavy foot traffic, such as living rooms, corridors, thoroughfares and public spaces.



### Palette of soft colours

From white to dark brown, neutral colors perfect for floors.

### Very high resistance, as tested by the CSTB

Designed for the most demanding decorative projects, this material offers very high resistance to wear and tear, thanks to its high mineral filler content.



### Matt mineral look

With the smooth screed look of its matt mineral finish, this product transforms spaces with its industrial loft feel.

### Suitable for all rooms in the house

For an even more uniform aesthetic appearance, the RBX® is compatible in all rooms including wet rooms (bathroom without shower tray).





### For your information

### **EBC and PMB Micro Topping Concretes**

Coloured Concrete can be used **in new-build or renovation projects** without heavy works on most surfaces.

The technology used in the production of EBC has passed **a full battery of tests** by different laboratories, including the CEBTP (Experimental Centre for Construction and Civil Engineering Research and Design), all of which have confirmed its exceptional performance in **adhesion**, **compressive strength, TABER abrasion and Zwick punching tests**.



### **Guidelines for hassle-free application\***



- For application to different surfaces, check that they are resistant enough, non-crumbling, stable, dry and cohesive (such as screed, tiling, plasterboard, medium, plaster).
- Personnel: a minimum of 1 person
- Thickness must be greater than 1 mm for wall applications, 1.5mm for countertops and floors with very smooth surfaces, and 2mm for tile or shower floors. EBC can also be applied at thicknesses of 3mm or more for applications to exterior floors.
- 2 to 3 layers; ideally the final layer should be applied 'wet-on-wet'. This makes for more comfortable application and a smoother and more even brushstroke. It will also enhance the hardness of the paint and strengthen its grain.
- Setting time is relatively short, so it is best to mix in small quantities at a time.
- Application using small, crossed brushstrokes will achieve a more varied, marbled look after fitting and buffing. With larger brushstrokes, the finish will appear more even.



\*Refer to the latest updates of the Specifications available on our website.



### Self-Leveling Floors AXXX, SC+ et RBX®

The Cast Floors can be used **indoors, in new construction or renovation** without heavy work on most surfaces. The technology used in their manufacture has been tested:

- **AXXX :** Fire resistance (classification A1fl), compressive strength (C40), flexural strength (F10).
- SC+: Fire resistance (A1fl classification), compressive strength (C30), flexural strength (F6).
- **RBX®**: Tested by the CSTB (Centre Scientifique et Technique du Bâtiment), it obtains the highest possible performance level within the framework of the French and European standard NF EN 13813.2002 concerning «screed and screed materials» in terms of BCA wear resistance (maximum classification AR0.5 achieved), hardness/Shore resistance (classification SH 200 achieved).

### **Guidelines for hassle-free application\***

- This product can be applied to various surfaces, provided that they are hard-wearing, non-friable, stable, dry and cohesive: cement screeds, concrete slabs, fibre screed, tiling and anhydrite screed with, for the RBX<sup>®</sup>, a specific preparation in advance (please consult with us). In the event of a cracked floor, reinforcement solutions do exist to prepare the surface as well as possible: a P4S-grade fibre screed or a bicomponent sanded epoxy resin (please consult with us).
- It is essential **to install peripheral expansion joint around the edges of rooms** in order to allow the concrete to expand correctly and limit the risk of microfissures.
- When installing profiles, respect the existing expansion or splitting joints of screeds or slabs. Pour on both sides of these.
- Personnel: **3 persons minimum,** with more according to the surface area.
- Thickness from 4 to 15mm according to the surface, in one increment, self-smoothing if a flemish trowel is used.

\*Refer to the latest updates of the Specifications available on our website.







Summary Micro Topping Concretes —

							• • • • • • • •							
	Product		entra Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-				Concrete -							
	Description	Decorative finishing mortar, self-coloured, with cement base.												
	Aesthetic	Textured or smooth according to the application technique.												
-	Format (kg)	5,4	13,4	24,1	29,5	24 (A)	5,5 (B)	24 (A) 5,3 (B) + 0,2 (C)						
	KIT		Bucket of - pre-tinte				of powder inted binder	Bag of powder + tinting binder + dye						
oject	W	/all deco	ration a	nd cour	ntertops	s, on very s	mooth, seamles	s, surfaces						
ness and pr	1 mm thickness (sqm)	2,5	6,4	11,5	14		14	14						
ding to thick	F	loors of l	iving ro	oms an	d count	ertops on s	mooth, seamles	s surfaces						
(sqm) accor	1,5mm thickness (sqm)	1,9	4,8	8,6	10,5		10,5	10,5						
Covering power (sqm) according to thickness and project		Showers	s, counte	ertops, f	loors o	n irregular	or heavy traffic	surfaces						
Cove	2mm thickness (sqm)	1,3	3,2	5,7	7		7		7					

(A) : Powder. Component A

(B) : Pre-tinted binder or no-tinted binder. Component B

(C) : Dye

### Micro Topping Concretes

		PURE <sup>®</sup> Minéra	l Béton - PMB							
	Product									
	Description	Decorative coating with a base of	of cement and lime, self-coloured.							
	Aesthetic	Mineral look, with a light wash and a soft colour palette.								
	Format (kg)	14,4	24							
	КІТ	Bucket of powder + pre-tinted binder	Bag of powder + pretinted binder							
rface		Wall decoration								
mess and su	1 mm thickness (sqm)	11,5	19,2							
ding to thick		Bathroom walls								
sqm) accor	1,5mm thickness (sqm)	8,6	12,8							
Covering power (sqm) according to thickness and surface		Showers, countertops, floo	ors							
Cov	2mm thickness (sqm)	5,8	9,6							



				1						
		AXXX	SC+	RBX®						
Pro	oduct									
Descrip	otion	Self-smoothing mortar, coloured in the mass, based on calcium sulphate.	Self-leveling mortar, with a base of special cement, mineral fillers and additives.	Self-leveling mortar, self-coloured, with a base of cement, ultra-resistant mineral fillers and additives.						
Pro	jects	Interior.	Interior.	Interior.						
Aest	hetic	Extremely smooth and soft, very fine grain	Clean and silky look, with a fine grain	Mineral look with different shades,loft and industrial feel						
Format	(kg)	25	20	25						
	КІТ	Bag of powder + pre-tinted binder	Bag of powder + pre-tinted binder	Bucket of powder + tinting binde						
	Smooth screeds, levelling									
3 mm thick (:	ness sqm)	4,9								
4 mm thick (:	ness sqm)		3,6	3,1						
Irregul	ar surfa	aces or epoxy primer, tiling wit	th very fine grouting (terrazo,	granito, marble)						
4 mm thick (s Irregul 5 mm thick (s 6 mm thick (s 7 mm thick	ness sqm)	2,9								
6 mm thick	ness sqm)		2,4	2,1						
2		1	ïling							
	ness sqm)	2,1								
8 mm thick	(ness		1,8	1,6						

(sqm)

### **Finishing and maintenance**

Our full range of sealers is available on page 42, providing you with a protection system for every kind of project. For longer-lasting results, we recommend ensuring that your surfaces are regularly maintained with appropriate products, such as:



\*Refer to the latest updates of the Specifications available on our website.



# Metal Coatings




### Created to provide alternative design options, PURE<sup>®</sup> Metal is suitable for painting and coating, and provides you to achieve a true metallic effect.

Due to its high concentration of metal particles, this product can be applied to most surfaces to give them a real metal coating. Available in 7 kinds of metal, it can be used indoors, or outdoors with an appropriate protective treatment.

The variety of effects guarantees a unique look for walls, splashbacks, furniture and object creations, countertops, doors, and even floors and stairs (with suitable preparation of the surface).

# Metallic coating is a very versatile decoration process.

Creating effects truly brings out the purity of the metal; for even more possibilities, certain metals can be mixed.



### Metal Coatings - PURE® Métal

### Decorative concentrated powder, coating with metallic particles.



Wide range of effects



Can be applied by spraying



Wall, floor and ceiling





### Excellent adhesion and adaptability

For interiors and exteriors (with suitable protection), it can be placed on any surface, and is suited to projects such as feature walls, kitchens, living rooms, stairs and bathrooms. PURE® Métal can also be used to give a fresh look to an object or a piece of furniture.



### Wide range of metals

Iron, Copper, Tin, Aluminium, Brass, Bronze and Zinc.



### Multiple effects

A wealth of customisable effects. Several finishes can be achieved, depending on the tool and the method of application: smooth, textured, striated, or even patinated.



### Soft and flexible texture

This easy-to-use product can be applied by means of a trowel, float, brush or spray, depending on your needs and the desired appearance.

### Even more effects

For even more striking effects, inspired by the animal kingdom or plants (crocodile skin, bark, scratched, shagreen), different tools can be used, as well as any accessories that appeal to you. Manual or mechanical buffing will also bring out the qualities of the material, producing real metallic glints.

### **Metal Coatings**

### **Guidelines for hassle-free application\***

- This product can be applied to all kinds of surfaces in both new-build and renovation projects: tiling, painted walls, plasterboard, wood, plaster, ferrous and non-ferrous metals, and cement surfaces.
- Real metal powder particles to be diluted with liquid.
   Water for a decorative project (such as an object, furniture, or feature wall).
   Water + binder for more technical projects (such as a table, countertop, splashback, bathroom, floor or stairs).
- Application in 1 or 2 coats, according to the desired effect: a fine coat will achieve a smooth look, while a thicker one will provide a textured effect.
- This product can be applied with a smoothing trowel, a roller, a brush, or by spraying.
- Manual or mechanical buffing will bring out the material and create a shimmer.
- A wealth of effects can be created with the Oxidant: a rust effect with PURE® Métal Iron, or an oxidised effect with verdigris tints using the PURE® Métal Copper and Bronze.

\*Refer to the latest updates of the Specifications available on our website.










	Summ Metal Coating												
			PURE	® Méta	al			al grip der	Oxidants				
	Product		10	-									
	Description		corative powe consisting of r				PURE® Mét	xing binder al, for more I projects	Oxidising gel for all metals	for all Liquid Oxidant			
	Format	60	250	1	5	10	500	]	]	250	500	1	
		m	1L		kg			mL L		kg mL		L	
ct	Application with a roller*	0.16 to 0.40 according to the metal	0.69 to 1.74 according to the metal	2,86	14,29	28,57							
Covering power (sqm) according to thickness and project	1 smoothing coat	0.11 to 0.28 according to the metal	0.48 to 1.22 according to the metal	2	10	20	Tables or		All-metal oxidant. Oxidising effect with PURE® Métal Copper and Bronze - green and grey wash with rust effect using PURE® Métal Iron.				
	2 coats for effects	0.06 to 0.14 according to the metal	0.24 to 0.56 according to the metal	1	5	10	floors, and requiring a s	, bathrooms, any project sealer with a ed protector.					
	Projects		r exterior (with urniture, count bath										
	Surfaces		nted walls, pla non-ferrous ma										

\*Excluding aluminium, which requires application with a brush.

### **Finishing and maintenance**

Our full range of sealers is available on page 42, providing you with a protection system for every kind of project. NB : If you apply a varnish as protection, we recommend that you use a satin sealer to preserve the metallic reflection. However, for rust and verdigris effects, a matt sealer will be more appealing.



\*Refer to the latest updates of the Specifications available on our website.



# Decorative Paints



### **Our boldly** modern range of paints We take pleasure in sharing our includes the passion for materials and colours with you once again, with this range exclusively in compliance right finish with current technical and environmental requirements, our 100% water-based paints are available in several finishes and different for your With their carefully selected ingredients and pigments, our paints are renowned for their quality and their rigorously developed colours. They achieve a particularly aesthetic project. result thanks to the depth of colour we use, and the way they react to light. Resistant and

The range expands regularly, with new shades guided by our inspirations.

designed to last, they will be there for you in every project, whether you're a professional or

of paints.

Formulated

formats to suit any project.

a DIY enthusiast

Discover our colours organised by season in our charts.

### **The Mercadier® Collection**

A wide variety of colours and impeccable adhesion. 100% water-based paints. Rich pigments and quality resins.



Extremely straightforward maintenance



Neutral and colourful shades



### la premium

A traditional matt acrylic paint for interior and exterior use.

**Ideal for** the most heavily-used rooms and wet rooms: kitchen walls, hallways, bathrooms, and children's bedrooms.

Matt look, very easy to use, with exceptional covering power.



l'extra

A satin microporous, water-based polyurethane lacquer for interior and exterior use.

**Ideal for** kitchen walls, wet rooms, door and window frames, furniture (wood and metal) and shutters.

Satin velvet look. Washable. Very high covering and filling power.



### la spéciale

An Alkyde in emulsion protection and decoration paint for interior and exterior use.

Ideal for woodworks and metal.

Satin to glossy look. Excellent grip and good weather resistance. Contains an anti-rust. Excellent covering and opacifying power.





### The Mateco<sup>®</sup>

### Uncompromising quality at an affordable price



21 colors in light and neutral tones







A water-based decorative paint enriched with mineral fillers, for interior use; does not tauten.

Ideal for walls in living rooms and ceilings.

Matt and deep mineral look similar to a lime whitewash. High yield and high filling power, particularly suitable for large areas thanks to its affordability and 15 L format.

### For your information



### **Decorative Paints**

All the colours in our colour chart are **available in all finishes.** Matt finish tester pots are available for colour testing. For smaller projects, 500mL formats are also available in various finishes.

**Preparing the surface is an essential step** to ensure that your paint achieves a perfect finish and a long working life. The easily applied undercoats guarantee an even and longlasting result. Undercoats are available in 4 shades (white, grey, pink, yellow), to maximise coverage according to the colour of the finish.



### **Guidelines for hassle-free application\***



- Different undercoats should be used depending on the type of surface, for example.
  - L'impression a primer undercoat for interior projects on these surfaces: plaster and plaster derivatives, cardboard plasterboard, plaster tiles, cement, concrete, cement coating, brick, and canvas to be painted.
  - L'accroche a bonding undercoat for interior and exterior projects on these surfaces: wood, wood panels, smooth surfaces (PVC, glass, tile, etc.), non-ferrous metals.
- Begin with the ceiling, starting from a natural light source and ending in the direction of the light.
- Continue with the walls. First clear the corners and then apply generously in areas of about 1 sqm using crossing brushstrokes. Finish by smoothing the paint from bottom to top. **Do not stop in the course of a wall section long enough for it to dry,** as this may produce marks.
- End by painting woodwork, **painting with the grain of the wood**.



\*Refer to the latest updates of the Specifications available on our website.







		<b>The Premium</b> <b>Matt</b> La Premium					<b>The Eggshell</b> L'Extra			ale	The Mateco®		
	Product	Miller Adier				MERCADIER	a chác talaite						
	Description	Flighty washable main				lacquer, m great c power, har	l polyurethane icroporous, overing d-wearing, y clean look.	protectio Good wea	d in emulsi on and de d adhesio ther resista ains an ar agent.	coration. n and ance.	Aqueous phase enriched with mineral fillers, good filling and covering power.		
	Aesthetic*	Matt look.		Satin ve	Satin to glossy look.			Deep matt mineral look, does not tauten.					
	Format (L)	]	2,5	5	10	]	2,5	1	2,5	10	1	15	
	Number of coats		7 2	2		2	2	1 à 2			2		
ss and project	Covering power in finished sqm, up to*	6	15	30	60	6	15	7	21	70	10	75	
o thickne:		Projects Walls of kitchens, bathrooms, children's rooms and corridors.				Interior and exterior.		Interior and exterior.			Interior.		
Covering power (sqm) according to thickness and	Projects					Kitchen walls door and wi and fu	Living-rooms, frames and furnitures.			Walls of living rooms and ceilings.			
	Surfaces	c The C	Plaste asterboo cement o e suppo orrectly th «l'Imp «l'Accr	coatings rts must prepare ression»	s. be ed	Wood a products, r metals, tiling The suppo correctly with «l'Imp «l'Accr	Wood and wood products, ferrous and non- ferrous metals. The supports must be correctly prepared with «l'Impression» or «l'Accroche».			Plaster and plasterboard, cement coatings, wood and wood products.			

\*Our technical documents are regularly updated. Please refer to <u>mercadier-decoration.com</u> for the latest technical data sheets.

## Ŋ ſ



# Lime: a natural and eco-friendly material.

Les Trois Matons<sup>®</sup>, a historic brand renowned for its decorative materials for 30 years, specialises in lime. An ancient material in use since Antiquity, traditional lime features in many of the products in our range.

This high-quality natural lime is manufactured according to a long-established method and according to precise specifications in order to preserve all its technical and decorative properties.

Our unfiltered fat lime, which results from the combustion of limestone rocks, is cooked over a wood fire, and then rests in a maturation basin for a minimum of 8 to 12 months and up to 5 years, to obtain 'historical monument' grade lime.

> Our passion for this material has led us to develop a range of decorative products in which lime has pride of place. Materials, finishes, colours: we offer several coatings suited to different aesthetics, both traditional and contemporary.





### Lime

### A natural, eco-friendly material, ideal for both renovation and new-build projects.



Natural and soft color charts



Interior and exterior
 decoration projects



Cleaning tools with water



### The Fat lime

Natural aerated fat lime paste, filtered or unfiltered, obtained by cooking pure limestone over a wood fire.

**Ideal for** production of traditional mortars and finishing plastersfor interiors and exteriors.



### The Marbrex<sup>®</sup> R and the Minéral 000

Decorative coatings with an air lime and marble powder base, available in paste or powder form. Grain size from 0 to 0.7mm.

**Ideal for** facade, interior and exterior wall finishes. They also mask wall imperfections.



Trowelled, crushed or smooth finish

Ø	ſ
2	1,





### The Marbrex<sup>®</sup> L and the Marmolakt<sup>®</sup>

Very fine decorative coatings with a base of air lime and marble powder, used to finish medium coatings or to produce fine coatings (stucco marmorino or tadelakt effect). Available in paste or powder form. Grain size from 0 to 0.4mm.

**Ideal for** interior and exterior wall finishes. Suitable for bathrooms and kitchens (floor-level showers, washbasins, hammams) but also halls, stairs, and living rooms. Easy to use, with exceptional covering power.



Excellent water vapour permeability



### The Badimat®

Whitewash with a base of natural fat lime paste and ultrafine fillers. Powdery texture, velvety look, ultra matt finish and exceptional whiteness. Highly decorative.

**Ideal for** interior and exterior finishes, walls and ceilings. The colours patina with time and give the decorations a soft and warm aesthetic.



Easy application with a brush



### The decorative coatings


Low-VOC finishing stucco for a washed and shiny look.



### The Italian stucco

Odourless, low-VOC finishing stucco for interior use, with a base of alabaster plaster.

**Ideal for** interior finishes, walls and ceilings. Very easy to apply, with a long drying time that limits cracking and shrinkage. Lets you create Italian-style interior looks such as washes and glazes.





### **The Venetian stucco**

Acrylic copolymer-based coating for the production of «stucco spatolato alla Veneziana».

**Ideal for** interior and exterior finishes, walls and ceilings. This product lets you create a pure, polished look characterized by the moiré patterns specific to the spatulated stuccoes of Venetian architecture. It enhances bathrooms, entrance halls, stairs, living room walls, columns and small decorative features.



Very shiny stucco look








		Fat lim	e	Marb	rex® R	Minéral 000	Marb	rex® L		
Product		M Count grant	M Count Press		X High 2 W		, siliter	XXXX		
Description	Fat lime in paste form, cooked over a wood fire, matured for 8 to 12 months.			finishing pl	co-friendly aster with a air lime.	A natural, eco-friendly Natural, eco- finishing plaster with a finishing plaste base of air lime powder. base of air		aster with a		
Aesthetic					crushed or 1 finish.	Trowelled, crushed or smooth finish.	stucco, sat	Smooth lime, Marmorino stucco, satin or glossy smoothed stucco.		
Format (kg)	25 30 20		5	25	25	5	25			
Thickness (mm)			2 to 3		2 to 3		]			
Yield per format, in finished sqm				1,3 to	13,9 m²	10 to 21 $\text{m}^2$	2,8 to	13,9 m²		
Related products	Marble powder and fine sand.			Undercoat for lime, Multitop, Mineral 000, Liquid sealing primer, Hydro HO®, water- based wax, solid wax.		Undercoat for lime, Multitop, Marmolakt®, Marbrex®L, Hydro HO® water-based wax, solid wax.	Minéral 0 , HO®, water	rex® R, 00, Hydro -based wax, wax.		
Projects			Interior ar	d exterior.	Interior and exterior.	Interior ar	nd exterior.			
Surfaces				cement fa	ed substrates, cing or on ıstrates with t for lime.*	On lime-based substrate or primed substrates wit undercoat for lime.	n Minéral O	ex® R ou OO that has ubbed».		

	Marmolakt°	В	adima	t®	Italian	Stucco	Vene	tian St	tucco
Product			Para di Antonio di Ant	k Badimar <sup>a</sup>		A Burg		Parameter and a second	140 Technica
Description	A natural, eco-friendly finishing plaster with a base of air lime powder.	whitev	al, eco-frier vash paste ise of air lir	with a	finishing stuce	i, low-VOC 10 paste with a paster plaster.	finishing base of c	urless, low stucco pas acrylic cop eous dispe	ste with a polymer in
Aesthetic	Smooth lime, with «Tadelakt» effect. Matt or satin look.	Powdery texture, velvety look, ultra matt finish.			Smooth stucco look, very shiny with moiré patterns.		Smooth stucco look, very shiny and highly attractive.		
Format (kg)	15	1 5		20	5	25	]	5	20
Thickness (mm)	1,5 to 3	2			2 t	o 3		2 to 3	
Yield per format, in finished sqm	13 to 15	4 to 125			5 tc	50		4.8 to 29	
Related products	Undercoat for lime, Multitop, Mineral 000, liquid sealing primer, Hydro HO®, water-based wax, solid wax.	Minéral	coat for Ext 000, Ma o HO®, Ve	rbrex® R,	water-bo	ession, ased wax, wax.	Impression, water-based wax, solid wax.		
Projects	Interior and exterior.	Interi	ior and ext	terior.	Inte	erior.	Interior.		
Surfaces	On lime-based substrates, cement facing or primed substrates with undercoat for lime.*	Can be applied to lime-based substrates or primed substrates with Extra undercoat for lime.			surfaces the	h and even 11 have been ned.	On smooth and even surfaces that have been primed.		

# The lime and the decorative coatings





		Italian	Stucco	Ce	<b>The V</b> Iling	Prim	ier	Uı	e Bond nderco 'accroch	at		oarent primer	
	Product	silit.	and a state	L'IMPRESSION C MERCADIER Mercadier					MERCADIER	Baceroche			
	Description	finishing stu with a base			g and cc at regula porc			primer	-based ac suitable fo substrates.	or most	Colourless binding primer.		
	Related products	L'Impression, Water-based wax, Solid wax. 5 25		Paint and Coloured Concrete, PURE® Métal.				Paint	Paint, PURE® Métal.			Paint and Coloured Concrete, PURE® Métal.	
	Format			1	2,5	5	10	1 2,5 10			5	10	
	kg / L	k	g	L			L			k	9		
	Number of coats			J			]			1			
roject/surface	Yield per format, in finished (sqm)	5 to	5 to 50		12 30 60 120		120	12 30 120			250 500		
ing to p	Projects	Inte	Interior.		Inte	rior.	^	Inter	ior and ext	erior.	Interior an	d exterior.	
Covering power (sqm) according to project/surfac	Surfaces	On smooth surfaces tha prin	t have been	Plaster and plaster derivatives, plasterboard, gypsum tiles, cement, concrete, bricks, canvas to be painted.				l, PVC, gla ferrous me		New and old coatings, concrete, existing paint.			

 Summary

 Primers and preparatory products

		Eco- Textured all- impression surface primer						Sealing primer				Primer Epoxy					
	Product							Ś								1111	
	Description	White, lov water-b white, ir prim	ased, nterior	a	esive pri nd wate ed befo cond	up	bon ha	rdenin	primer t g, form ant sea	is a	resin	nponent and ha be mix	Quartz sand of 0.1- 1.5mm.				
	Related products	Paint o Colou Concr PURE® N	ired ete,		Coloured Concrete and Self-leveling Floors.					Coloured Concrete.					Self-leveling Floors.		
	Format (kg)	5	15	]	2	6,5	19,5	1	2,5	5	10	30	1	5	25	25	
	kg / L	L			k	.g		kg				kg			kg		
	Number of coats	1			] (	à 2		2				1			1		
roject/surface	Yield per format, in finished (sqm)	33,3	100	3,3 to 13,3	6,7 to 26,7	21,7 to 86,7	65 to 260	2 to 4	5 to 10	10 to 20	20 to 40	60 to 120	1,3 to 3,3	6,3 to 16,7	31,3 to 83,3	12,5	
Covering power (sqm) according to project/surfac	Projects and surfaces	Coatings, plasterb gypsum cement- substrate water-b paint, wo wood pre	board board, based es, old based od and		ording ta be appl surf			ccordi o surfa				Accordir o surfac		According to surface.			

# Primers and preparatory products

Product	Multitop	Binder, to Aultitop assist with adhesion				Un	Extra derc or Lin	oat	Tramex		
Product	K Muthiop			N Statement		Construction of the second sec					
Description	Filler mortar with mineral fibre with a binder, cement and lime base for surfaces, both vertical and horizontal.	Binde	Binder.		White matt water- based undercoat, with low VOC.			matt ater- rcoat, OC.	Tramex 4x4 mm in fibreglass 160g/m² for floor or wall coatings with a very fine grain.	Tramex 10x 10 mm in fibreglass 138g/m² for walls and façades with medium to coarse grain.	
Related products	Preparation Binder, to assist with adhesion	Prepara Multito		Marbrex® R, Minéral 000, Marbrex® L, Marmolakt®			3adima1	®	Mul	titop	
Format (kg)	25	2,4	5	5	25	1	5	25	]	50	
Number of coats	1 to 2			1		]		1			
Yield per format, in finished (sqm)	10 to 17 m <sup>2</sup>			50 to 2	250 m²	4 to 175 m²		m²	l to S	50 m²	
Projects and	Interior and exterior.	Can be ap	urfaces	Interic exte		Interior and exterior.					
surfaces	Can be applied to primed absorptive surfaces, and irregular surfaces.	(such as t ceramic su		Can be a lime, plaste concrete, 1 plasterbo printed	er, cement, matt paint, pard and	lime, p concr plas	be appl blaster, c ete, mat terboard nted wo	cement, t paint, d and			

# maintenance products Finishing and

# Summary Finishing and maintenance products

		In		gnat aler	or			Aqua ecto			no Ac arnis		Bi-A Varı		Ba Bi-co nent \	vent- sed ompo- Varnish iinner	
	Product																
	Description	base impre	ed liqui gnator	toxic w d used sealer p n of var	as an orior to	prote Co	ection f ncrete	tra matt or Colo - EBC c néral Bé	ured and	pol acryli prote Se	uter-bas yuretha c varnisł cts coat mi-matt ttin finisł	ne n that ings. or	Bicomp water- polyura varnis prot coat Very wearin easy to Semi-ma	based ethane h that ects ings. hard- ig and apply.	Bicompoi for pro coc Very stai	nt-Based nent Varnish tection of atings. n-resistant. natt finish.	
	Related products		elf-level	Concro ing Floo nish.		Cc	Coloured Concrete				Coloured Concrete, Self- leveling Floors, Metallic Repair Sealer, Cleaning Shampoo.			Coloured Concrete, Self-leveling Floors, Metallic Repair Sealer, Cleaning Shampoo.		Coloured Concrete, Self-Smoothing Floors, Cleaning Shampoo, Solid wax.	
	Format (L)	0,5	1	2	5	1	2	5	10	0,75	3	10	1	5	1,2	4,8	
	Number of coats		2	à 3			2	à 3		2		2		2			
project/surface	Yield per format, in finished (sqm)	2,8 to 3,6	5,6 to <i>7</i> ,1	11,1 to 14,3	27,8 to 35,7	4,5	9	22,3	45	5,2	20,7	69	10	50	7,7	30,5	
ding to					1		Inte	erior.			Interior.		Inte	rior.		eriors exteriors.	
Covering power (sqm) according to project/surface	Projects and surfaces		pe prote	o the co ected, o etal.				oms and e walls.		Living rooms and feature walls.			Living and fe Counte heavy floors, c showe and st floo	eature Ills. ertops, -traffic orridors, r walls nower	and spl Washb	ntertops ashbacks asins and er walls.	

\*Ensure that water is not left to stagnate for several days.

# Summary Finishing and maintenance products

		S	olven Prote	t-Base ector	d	Mattifier for solvent- based protector	Non	-slip	
	Product					CONTRACTOR OF CO			
	Description	that prot	urless solv ects colou active and	ured conc	rete with	This liquid lowers the shine of the solvent-based protector.	Anti-slip pow	owder additive.	
	Related products		red Concr ors, Clean Solid				All var	nishes.	
	Format	0,5	1	2	5	]	100	250	
	mL / L	mL	L	L	L	L	mL	mL	
	Number of coats			2		2			
r (sqm) ct/surface	Yield per format, in finished (sqm)	4,2	8,3	16,7	41,7				
Covering power (sqm) according to project/surface	Projets et supports		Bath	irooms, w		nd exterior. floors, walls and showers			

			Maintenance	e products				
	Cleaning	shampoo	Metallic Re	pair Sealer	Intensive cleaner			
Product				<ul> <li>▲ A = 1</li> <li>▲ A = 1</li></ul>		•		
Description	maintenance of de floors protected w the Mercadier ra	er for the daily ecorative concrete vith Varnishes from inge, without wax isier renovation.		netallic effect to uch up varnishes.	Water-based eliminates build- layers before va			
Format (mL)	750	5	0,75	5	0,75	5		

# Finishing and maintenance products

			\	Waxes ar	nd wax re	movers			
	:	Solid wax	¢	Wate	er-based	wax	Wax remover		
Product		24 10			A III I				
Description	transpare carnauba, for the tree of coloured decorative w	lid wax, with c nt natural bee especially rec atment and ma d concrete, lim coatings. Can ith turpentine c DO mL per m <sup>2</sup> p	swax and ommended iintenance e and other be thinned iil.	against a	er-based wax t geing, water c nL per m <sup>2</sup> per d	and stains.	All-purpose wax remover, removes older wax layers.		
Format	500	500 1 5			375 750		1		
mL / L	mL		L	n	nL	L	L		

	Hydro	o HO®	Black soap		Velatura	1	
Product		At hydre HO	An and a second	kk versen in terrere			
Description	of interior and e	the waterproofing xterior surfaces. er sqm per coat.	Authentic Marrakesh soap A powerful multi-purpose cleaner made in the traditional way, this is an eco-friendly product that can be diluted in water.	Glaze for interior and exterior patinas, especially recommended for lime.			
Format	1	5	1	1	5	10	
L / kg		-	kg		kg		

# **Customers service**



# Sharing our knowledge and providing attentive service : the heart of our philosophy.

From the start, Mercadier has offered a range of products that everyone can use. We aim to support and advise our customers in the use and application of our products, to ensure the best results.

# **Technical service**

Do you have any questions for us? Do you need technical support? We are here to help.

Our experienced teams are ready to assist and advise you.You can contact our Technical support from monday to friday at +33 972 550 659.

# Training

In parallel, tutorials are available on our website mercadier.fr section About Mercadier, and on our YouTube channel.



# Where to find us



# A multi-channel distribution network.

# **Mercadier®** Showrooms in France

Mercadier showrooms are places dedicated to decoration, where you can explore our products and get advice. Here you can find our full product range, as well other leading brands in the field of paint, wallpaper, stickers and upholstery. You will be welcomed by real specialists in application techniques, who offer expert and comprehensive decoration advice. As places of inspiration for future products, the boutiques are constantly updated with our newest collections. The selection of brands is guided by our demanding standards of quality and reliability, always staying one step ahead of trends.

## Our reseller network

Over a number of years, we have built a network of official resellers to complement our own-brand stores.

Our brand resellers are real decoration experts who share our passion for giving comprehensive advice, including colour choice, the right materials for the job, and technical trouble-shooting. They also receive support in the form of training.

International expansion continues (Germany, Saudi Arabia, Australia, Belgium, India, Ireland, Italy, Luxembourg, Netherlands, Poland, Portugal, Qatar, United Kingdom, Senegal, Singapore, Switzerland. Coming soon: Reunion Island, Ireland, Guadeloupe, Martinique and Romania).

## Contractors

Over time, our network has been grown to include specialists in the application of our products. These Mercadier Contractors have a special relationship with our brand, including training, technical information and a national network. They share our love for craftsmanship, know-how and pride in a job well done.

# **Online shop**

Our sales website, showcases all our ranges and offers all the technical advice you need to help you choose and apply your products (including video tutorials and specifications). Designed for ease of browsing, the shop allows you to find products quickly and easily according to project type.

To help you even better, our online configurator allows you to create your project, both for the choice of products and their exact quantity. A quick and efficient step-by-step guide.

## **Export service**

For any questions you can contact our export service at: export@mercadier-group.com or +33 (0) 972 478 897.

# **Distance selling**

In addition, our Distance Selling Service is available by telephone 6 days a week to help you bring your projects to fruition.

## Contact

relation-clients@mercadier.fr +33 (0) 972 550 659

# Image credits

All treatments presented in this colour chart have been achieved by our clients, using products from our range: distributors, contractors and private Individuals.

P6: Bathroom : Realisation Audrey & Gabrielle, photo Julien Pepy

P7: Bathroom : Realisation Heju Studio

P8: Floor : Conception 27.5 m<sup>2</sup> (Margaux)

P9: Bathroom : Conception Caroline Andreoni, photo Sophie Lloyd

P13 : Floor : Conception @fernezchambon, photo Alexis De Dumast

P14: Kitchen floor and headboard : Conception Heju Studio

P19: Wall : Conception Heju Studio

P21 et 22 : Mercure Hotel Wall : Photo Florent Drillon

P25: Table : Realisation : The Majuscule

P27 et 30 : Wall and woodwork : Photo Olivier Criquioche

P32: Terrace : Conception FA Studio Paris, photo Florent Wattier

P34 : Wall : Conception Laura Brault

P34 : Walls : Manufacture Royale de Lectoure, photo Romain Ricard

Find our products and our distributors at mercadier-decoration.com.

mercadier.decoration

Mercadier

Mercadier Décoration

in Mercadier Decoration

**P** Mercadier<sup>®</sup> Decoration @mercadierb

Your resseler



Find our products of Layered Polished Concrete, Decorative Paints, Lime and Metal Coatings on **mercadier-decoration.com** +33(0) 972 550 659

# **Quality, certifications and classifications**







Building and Public Works Test Center.



Scientific and Technical Center for Building.



mercadier-decoration.com