

INTENSIVE SHAMPOO BEFORE RENOVATION

PRODUCT DESCRIPTION

- Mild alkaline stripper for cleaning concrete floors protected by our varnish finishes.
- Removes dirt, residues of wax care products, self- polishing dispersion and glue
- Only used in the case of renovation of protections (varnish)

AREAS OF APPLICATION

- Interior
- Floors

NECESSARY TOOLS

- Gloves, protective glasses
- Bucket, mop, water vacuum cleaner
- Cleaning tools: immediately with water after use.

PREPARATION OF THE MIXTURE

- Shake the can well before use
- Product to be diluted according to the level of soiling of the floor:
 - Lightly soiled floor: 20 ml of intensive cleaner in 10 l of water
 - Very dirty floor: 100 ml of intensive cleaner in 10 l of water

IMPLEMENTATION

First step:

Sweep or vacuum the floor to remove as much dirt as possible.

Second step:

Prepare the mixture following the recommendations in the previous paragraph

Spread the mixture evenly on the floor using a mop and leave for 5 to 10 minutes depending on the level of dirt.

After the time has passed, brush the surface vigorously.

Remove dissolved dirt and then neutralize twice with clean water.

Note : For stubborn stains, repeat the operation.

Let the floor dry thoroughly

WARNING

This operation, intended to remove deposits from the protective film (varnish), must be followed by its repair. To do this, after lightly sanding the cleaned surface, the floor should be vacuumed and the dust removed. This will be followed by two coats of varnish suitable for the stresses (see technical data sheets).

ROUTINE MAINTENANCE / RENOVATION

- In order to preserve the product and its finish (varnish), it is advisable to fix felt pads under the feet of furniture, chairs etc ... even if they are made of plastic.
- Do not let stains of colored water or grease remain for too long. Wipe them away as quickly as possible.
- For cleaning surfaces, use common 'non-aggressive' products.
- Absolutely avoid ammonia-based products and high-dose anti-limescale products
- It is important to maintain the surface by regularly applying a coat of the last finishing product (after cleaning if necessary and light sanding to restore good adhesion).
- The frequency of this operation depends on the use made of it (check if the water 'beads' on the support).

YIELD & PACKAGING & STORAGE

- Performance: maximum number of cleanings: 37 for lightly soiled floors of ~15 m²
- Packaging: 750 ml
- Shelf life: 2 years

RECOMMENDATIONS AND WARNINGS

- Consult the most recent version of this technical sheet (www.mercadier.fr). Our Distance Selling service and our resellers are at your disposal for any additional information.
- The guarantees of good performance and longevity of the product can only be acquired in the event of strict compliance with the instructions for use of the product itself, but also those of any primers and finishing products as well as the maintenance recommendations. We cannot therefore be held liable in any way in the event of an application not in accordance with our information and not using our entire system.
- Information, tips and advice relating to the end use of MERCADIER products are provided in good faith. They are based on the knowledge and experience that MERCADIER has acquired to date with its products when properly stored, handled and applied under normal conditions. In practice, differences between materials, substrates and specific site conditions are such that this information or any written recommendations or advice given do not imply any warranty of merchantability other than the legal warranty against hidden defects.

SAFETY/PRECAUTIONS

Safety data sheet available on request.

GOOD

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

The information contained in this sheet is the expression of our knowledge and test results; it cannot under any circumstances be considered as providing a guarantee or as engaging our liability in the event of defective application.